

FIG. 1

FIG. 1 is a perspective view of a first embodiment of a device 10, which is a rectangular box 12. The box 12 has a front wall 14, a back wall 16, a left side wall 18, a right side wall 20, a top wall 22, and a bottom wall 24. The front wall 14 is formed by a front panel 26 and a front flange 28. The back wall 16 is formed by a back panel 30 and a back flange 32. The left side wall 18 is formed by a left panel 34 and a left flange 36. The right side wall 20 is formed by a right panel 38 and a right flange 40. The top wall 22 is formed by a top panel 42 and a top flange 44. The bottom wall 24 is formed by a bottom panel 46 and a bottom flange 48. The front flange 28, back flange 32, left flange 36, right flange 40, top flange 44, and bottom flange 48 are all formed by a single piece of material 50. The front flange 28, back flange 32, left flange 36, right flange 40, top flange 44, and bottom flange 48 are all formed by a single piece of material 50. The front flange 28, back flange 32, left flange 36, right flange 40, top flange 44, and bottom flange 48 are all formed by a single piece of material 50.





FIG. 2






FIG 4






FIG 4



563



FG






FIG 6






Fig. 9




Fig. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14




FIG. 15




Fig. 16




Fig. 17





Fig. 18






FIG 20B

